

TEMPORARY REVISION NO. 06
To: Eclipse 550® POH and
FAA-Approved Airplane Flight Manual
Approach Annunciations

This Temporary Revision affects the AFM Part Number 06-123841, Revision "Original Issue", dated June 02, 2014. Remove this TR when Revision 01 is inserted. Record this TR insertion (or removal) on the Log of Temporary Revisions.

Insert this page behind LOTR-1.

06-123841-TR06

Signature:  Date: 3/25/16

Steven L. Lardinois
Manager, Systems and Flight Test Branch, ACE-117C
Chicago Aircraft Certification Office, 2300 E. Devon Avenue
Des Plaines, IL 60018

THIS PAGE INTENTIONALLY LEFT BLANK

Insert facing page 2-ii

LIST OF FIGURES

<u>Figures</u>	<u>Page</u>
2-7.1 Approach Annunciations	2-20

THIS PAGE INTENTIONALLY LEFT BLANK

Insert facing page 2-20, after Figure 2-7.

Figure 2-7.1 Approach Annunciations

FMS Annunciations	Published Minimums	Definition
LPV	LPV	Localizer Precision with Vertical Navigation. RNAV precision approach using GPS Altitude.
LNAV/VNAV	LNAV/VNAV	Lateral Navigation with Vertical Navigation. RNAV non-precision approach using GPS Altitude.
LNAV/VNAV-B	LNAV/VNAV	Lateral Navigation with Vertical Navigation, RNAV non-precision approach using Barometric Altitude.
LP	LP	Localizer Precision with Advisory Vertical Guidance, RNAV non-precision approach using GPS Altitude.
LNAV	LNAV	Lateral Navigation with Advisory Vertical Guidance, RNAV non-precision approach using GPS Altitude.
LP-B	LP	Localizer Precision with Advisory Vertical Guidance, RNAV non-precision approach using Barometric Altitude.
LNAV-B	LNAV	Lateral Navigation with Advisory Vertical Guidance, RNAV non-precision approach using Barometric Altitude.

NOTES

Barometric Altitude is uncompensated. Pilot must review the chart to determine if OAT is within range for use.

For Advisory Vertical Guidance the Pilot must maintain aircraft within altitude constraints on the approach.

THIS PAGE INTENTIONALLY LEFT BLANK